

PUBLICATION LIST Katja Pulkkinen

Peer reviewed

- Jeyasingh, PD, Sherman RE, Prater C, Pulkkinen K, Ketola T 2023. Adaptation to a limiting element involves mitigation of multiple elemental imbalances. *Journal of the Royal Society Interface*. 20:20220472. <https://doi.org/10.1098/rsif.2022.0472>
- Pirhonen, J, Koukka S, Pulkkinen K. 2023 Supplementing air with CO₂ stripped from recirculating aquaculture improves growth of two green microalgae in aquaculture wastewater. *Aquaculture*. DOI: 10.1016/j.aquaculture.2023.739242
- Taipale SJ, Pulkkinen K, Keva O, Kainz M, Nykänen H 2022. Lowered nutritional quality of prey decrease the growth and biomolecule content of rainbow trout fry. *Comparative Biochemistry and Physiology, Part B* <https://doi.org/10.1016/j.cbpb.2022.110767>
- Pulkkinen K, Ketola T, Laakso J, Mappes J & Sundberg L-R 2022. Rich resource environment of fish farms facilitates phenotypic variation and virulence in an opportunistic fish pathogen. *Evolutionary Applications*. <https://doi.org/10.1111/eva.13355>
- Hajisafarali M, Aaltonen S, Pulkkinen K & Taskinen J 2022. Does the freshwater mussel *Anodonta anatina* remove the fish pathogen *Flavobacterium columnare* from water? *Hydrobiologia*, <https://doi.org/10.1007/s10750-021-04769-6>
- Calderini ML, Stevčić Č, Taipale S, Pulkkinen K. 2021. Filtration of Nordic recirculating aquaculture system wastewater: Effects on microalgal growth, nutrient removal, and nutritional value. *Algal Research* 60:102486. <https://doi.org/10.1016/j.algal.2021.102486>
- Chowdhury MMR, Roy A, Auvinen K, Pulkkinen K, Suonia H & Taskinen J. 2021. Glochidial infection by the endangered *Margaritifera margaritifera* (Mollusca) increased survival of salmonid host (Pisces) during experimental *Flavobacterium* disease outbreak. *Parasitology Research*, 10.1007/s00436-021-07285-7
- Stevčić, Č, Pulkkinen K, Pirhonen J. 2020. Efficiency of *Daphnia magna* in removal of green microalgae cultivated in Nordic recirculating aquaculture system wastewater. *Algal Research*. 52: 102108. <https://doi.org/10.1016/j.algal.2020.102108>
- Pulkkinen, K, Kunnasranta M, Sinisalo, T. 2020. Comparison of muscle and hair stable isotope ratios in three phocid seals. *Marine Mammal Science* DOI: 10.1111/mms.12679
- Stevčić Č, Pulkkinen K, Pirhonen J. 2019. Screening of microalgae and LED grow light spectra for effective removal of dissolved nutrients from cold-water recirculating aquaculture system (RAS) wastewater. *Algal Research* 44:101681.
- Jeyasingh, P. & Pulkkinen, K. 2019. Does differential iron supply to algae affect *Daphnia* life history? An ionome-wide study. *Oecologia* 191:51-60.
- Ashrafi, R., Bruneaux, M., Sundberg, L.-R., Pulkkinen, K., Valkonen, J. & Ketola, T. 2018. Broad thermal tolerance is negatively correlated with virulence in an opportunistic bacterial pathogen. *Evolutionary Applications* 11:1700-1714.
- Pulkkinen, K., Pekkala, N., Ashrafi, R., Hämäläinen, D. M., Nkembeng, A. N., Lipponen, A., Hiltunen, T., Valkonen, J. K. & Taskinen, J. 2018. Effect of resource availability on evolution of virulence and competition in an environmentally transmitted pathogen. *FEMS Microbiology Ecology* 94(5) fyy060, doi: 10.1093/femsec/fyy060
- Ashrafi, R., Bruneaux, M., Sundberg, L.-R., Pulkkinen, K. & Ketola, T. 2017. Application of high resolution melting assay (HRM) to study temperature-dependent intraspecific competition in a pathogenic bacterium. *Scientific Reports* 7:980.
- Kinnula, H., Mappes, J., Valkonen, J. K., Pulkkinen, K. & Sundberg, L.-R. 2017. Higher resource level promotes virulence in an environmentally transmitted bacterial fish pathogen. *Evolutionary Applications*. 10 (5), 462-470, DOI: 10.1111/eva.12466.
- Pulkkinen, K., Aalto, S. & Nykänen, H. 2016. Parasite infection alters host stable-isotope composition under controlled feeding. *Freshwater Biology* 61(11):1981-1990.

- Ashrafi, R., Pulkkinen, K., Sundberg, L.-R., Pekkala, N. & Ketola, T. 2015. A multilocus sequence analysis scheme for characterization of *Flavobacterium columnare* isolates. *BMC Microbiology* 15:243.
- Aalto, S.L. Decaestecker E. & Pulkkinen K. 2015. A three-way perspective of stoichiometric changes on host-parasite interactions. *Trends in Parasitology* 31(7):333-340.
- Sundberg, L.-R. & Pulkkinen, K. 2015: Genome size evolution in macroparasites. *International Journal for Parasitology* 45(5): 285-288.
- Pulkkinen, K., Wojewodzic, M. W. & Hessen, D.O. 2014: Phosphorus limitation enhances parasite impact: feedback effects at the population level. *BMC Ecology* 14:29.
- Aalto, S. Ketola, T. & Pulkkinen, K. 2014: No uniform associations between parasite prevalence and environmental nutrients. *Ecology*, 95(9): 2558–2568.
- Pulkkinen, K., Ruokonen, T. J., Mykrä, M., Tambe, G., Karjalainen, J. & Hämäläinen, H. 2013: Indirect effects of invasive crayfish on native fish parasites. *Ecosphere* 4(4): art 50.
- Aalto, S. & Pulkkinen K. 2013: Food stoichiometry affects the outcome of *Daphnia*-parasite interaction. *Ecology and Evolution*. 3(5):1266-1275.
- Aalto, S., Kaski, O., Salonen, K. & Pulkkinen, K. 2013: Responses of algae, bacteria, *Daphnia* and natural parasite fauna of *Daphnia* to nutrient enrichment in mesocosms. *Hydrobiologia* 715: 5-18.
- Taipale, S.J., Brett, M. T., Pulkkinen, K. & Kainz, M. J. 2012: The influence of bacteria-dominated diets on *Daphnia magna* somatic growth, reproduction, and lipid composition. *FEMS Microbiology Ecology* 82(1): 50-62.
- Kunttu, H., Sundberg, L.-R., Pulkkinen, K. & Valtonen, E. T. 2012: Environment may be the source of *Flavobacterium columnare* outbreaks at fish farms. *Environmental Microbiology Reports* 4(4): 398-402.
- Marcogliese, D. J., Pulkkinen, K. & Valtonen E. T. 2012: Trichodinid (Ciliophora:Trichodinidae) infections in perch (*Perca fluviatilis*) experimentally exposed to pulp and paper mill effluents. *Archives of Environmental Contamination and Toxicology* 62:650-656.
- Pulkkinen, K., Suomalainen, L.-R., Read, A. F., Ebert, D., Rintamäki, P. & Valtonen, E.T. 2010: Intensive fish farming and the evolution of pathogen virulence: the case of columnaris disease in Finland. *Proceedings of the Royal Society of London, Series B* 277:593-600.
- Benesh, D. P., Kitchen, J., Pulkkinen, K., Hakala, I. & Valtonen, E.T. 2008: The effect of *Echinorhynchus borealis* (Acanthocephala) infection on the anti-predator behavior of a benthic amphipod. *Journal of Parasitology* 94(2):542-545.
- Pulkkinen, K. 2007: Microparasite transmission to *Daphnia magna* decreases in the presence of conspecifics. *Oecologia* 154:45-53.
- Pulkkinen, K. & Ebert, D. 2006: Persistence of host and parasite populations subject to experimental size-selective removal. *Oecologia* 149(1): 72-80.
- Pulkkinen, K. & Ebert, D. 2004: Host starvation decreases parasite load and mean host size in experimental populations. *Ecology* 85(3): 823-833.
- Valtonen, E.T., Pulkkinen, K. & Julkunen, M. 2003: Getting to the core of parasite communities: revealing the exchange patterns among sympatric hosts. In book: Combes, C. & Jourdan J. (eds.) *Taxonomie, écologie et evolution des métazoaires parasites. Taxonomy, ecology and evolution of metazoan parasites. (Livre hommage à Louis Euzet)*. PUP. Perpignan France s. 287-303.
- Valtonen, E. T., Pulkkinen, K., Poulin, R. & Julkunen, M. 2001: The structure of parasite component communities in brackish water fishes of the northeastern Baltic Sea. *Parasitology* 122:471-481.
- Pulkkinen, K., Pasternak, A. F., Hasu, T. & Valtonen, E. T. 2000: Effect of *Triaenophorus crassus* (Cestoda) infection on the behavior and susceptibility to predation of the first intermediate host *Cyclops strenuus* (Copepoda). *The Journal of Parasitology* 86(4):664-670.
- Pasternak, A. F., Pulkkinen, K., Mikheev, V., Hasu, T. & Valtonen, E. T. 1999: Factors affecting abundance of *Triaenophorus* infection in *Cyclops strenuus*, and parasite-induced changes in host fitness. *International Journal for Parasitology* 29:1793-1801.

- Pulkkinen, K., Valtonen, E. T., Niemi, A. & Poikola, K. 1999: The influence of food competition and host specificity on the transmission of *Triaenophorus crassus* (Cestoda) and *Cystidicola farionis* (Nematoda) to *Coregonus lavaretus* and *Coregonus albula* (Pisces: Coregonidae) in Finland. *International Journal for Parasitology* 29:1753-1763.
- Pulkkinen, K. & Valtonen, E. T. 1999: Accumulation of plerocercoids of *Triaenophorus crassus* in the second intermediate host *Coregonus lavaretus* and their effect on growth of the host. *Journal of Fish Biology* 55: 115-126.
- Pulkkinen, K. & Valtonen, E. T. 1998: The use of parasites as tags to elucidate differences between whitefish populations. *Archiv für Hydrobiologie, Special Issues, Advances in Limnology* 50: 257-271.

Other publications

- Valtonen, E. T., Hakalahti-Sirén, T., Karvonen, A. & Pulkkinen, K. (eds.) 2012: Suomen kalojen loiset (Parasites of fish in Finland, in Finnish). 540 s. Gaudeamus, Helsinki.
- Pulkkinen, K. & Valtonen, E.T. 2012: Pääjakso Laakamadot: luokka Heisimadot. In: Valtonen, E. T., Hakalahti-Sirén, T., Karvonen, A. & Pulkkinen, K. (eds.). Suomen kalojen loiset. Gaudeamus, Helsinki. 87-109.
- Pulkkinen, K. & Valtonen, E.T. 2012: Haukimato heikentää kalan käyttöarvoa - vain lapamato tarttuu ihmiseen. In: Valtonen, E. T., Hakalahti-Sirén, T., Karvonen, A. & Pulkkinen, K. (eds.). Suomen kalojen loiset. Gaudeamus, Helsinki. 265-277.
- Pulkkinen, K. 2012: Virulenssin evoluutio. In: Valtonen, E. T., Hakalahti-Sirén, T., Karvonen, A. & Pulkkinen, K. (eds.). Suomen kalojen loiset. Gaudeamus, Helsinki. 361-372.
- Pulkkinen, K. & Vainikka, A. 2012: Epidemiologian perusteita. In: Valtonen, E. T., Hakalahti-Sirén, T., Karvonen, A. & Pulkkinen, K. (eds.). Suomen kalojen loiset. Gaudeamus, Helsinki. 419-431.
- Sinisalo, T. & Pulkkinen, K. 2012: Loiset kertovat isännän ravinnosta. In: Valtonen, E. T., Hakalahti-Sirén, T., Karvonen, A. & Pulkkinen, K. (eds.). Suomen kalojen loiset. Gaudeamus, Helsinki. 451-459.
- Pulkkinen, K. & Valtonen, E. T. 2005: Kirje Heisimatotauti (Ajankohtaista Lääkäriin käsikirjasta) – jutun johdosta. *Duodecim* 122(5): 525.
- Pulkkinen, K., Karvonen, A. & Valtonen, E. T. 2004: Lapamato - harvinainen muttei hävinnyt. *Duodecim* 120(15):1912.
- Pulkkinen, K. 1999: Transmission of *Triaenophorus crassus* from copepod first to coregonid second intermediate hosts and effects on intermediate hosts. PhD-thesis, 40 p. Biological Research Reports from the University of Jyväskylä 76.
- Tikkanen, J., Toppari, E. Kotiaho, J., Pulkkinen, K. & Sulkava, P. 1997: Askel elämyksiin. Leivonmäen luonnonsuojelualueen ohjaajan opas. Metsähallituksen luonnonsuojelujulkaisuja Sarja B No 42. 79 s.