

PUBLICATIONS

PEKKA KOSKELA

Papers in journals with referee practise

- [1] P.Koskela, “Capacity extension domains,” *Ann. Acad. Sci. Fenn. Ser. A I Math. Dissertationes* 73 (1990), 1–42.
- [2] D.A.Herron and P.Koskela, “Quasiextremal distance domains and conformal mappings onto circle domains,” *Complex Variables* 15 (1990), 167–179.
- [3] P.Koskela and O.Martio, “Removability theorems for quasiregular mappings,” *Ann. Acad. Sci. Fenn. Ser. A I Math.* 15 (1990), 381–399.
- [4] K.Astala and P.Koskela, “Quasiconformal mappings and global integrability of the derivative,” *J. Analyse Math.* 57 (1991), 203–220.
- [5] B.Hanson and P.Koskela, “Higher integrability and the boundary dimension,” *Ann. Acad. Sci. Fenn. Ser. A I Math.* 16 (1991), 323–331.
- [6] D.A.Herron and P.Koskela, “Uniform, Sobolev extension and quasiconformal circle domains,” *J. Analyse Math.* 57 (1991), 172–202.
- [7] D.A.Herron and P.Koskela, “Uniform and Sobolev extension domains,” *Proc. Amer. Math. Soc.* 114 (1992), 483–489.
- [8] P.Koskela and F.Reitich, “Hölder continuity of Sobolev functions and quasiconformal mappings,” *Math. Z.* 213 (1993), 457–472.
- [9] P.Koskela, “Removable singularities for analytic functions,” *Michigan Math. J.* 40 (1993) 459–466
- [10] J.Heinonen and P.Koskela, “Sobolev mappings with integrable dilatations,” *Arch. Rat. Mech. Anal.* 125 (1993), 81–97.
- [11] P.Koskela and O.Martio, “Removability theorems for solutions of degenerate elliptic partial differential equations,” *Ark. Mat.* 31 (1993), 339–353.
- [12] P.Koskela, “An inverse Sobolev lemma,” *Rev. Mat. Iberoamericana* 10 (1994), 123–141.
- [13] J.Heinonen and P.Koskela, “ A_∞ -condition for the Jacobian of a quasiconformal mapping,” *Proc. Amer. Math. Soc.* 120 (1994), 535–543.
- [14] S.Buckley and P.Koskela, “Sobolev-Poincaré inequalities for $p < 1$,” *Indiana Univ. Math. J.* 43 (1994), 221–240.
- [15] P.Koskela, “The radial behavior of a quasiconformal mapping,” *Duke Math. J.* 74 (1994), 667–679.

- [16] P.Koskela, “The degree of regularity of a quasiconformal mapping,” *Proc. Amer. Math. Soc.* 122 (1994), 769–772.
- [17] J.Heinonen and P.Koskela, “The boundary distortion of a quasiconformal mapping,” *Pacific J. Math.* 165 (1994), 93–114.
- [18] T.Kilpeläinen and P.Koskela, “Global integrability of the gradients of solutions to partial differential equations,” *Nonlinear Analysis and Applications* 23 (1994), 899–909.
- [19] D.A.Herron and P.Koskela, “Locally uniform domains and quasiconformal homeomorphisms,” *Ann. Acad. Sci. Fenn. Ser. A I Math.* 20 (1995), 187–206.
- [20] T.Kilpeläinen, P.Koskela and O.Martio, “On the fusion problem for degenerate elliptic equations,” *Comm. Partial Differential Equations* 20, (1995), 486–497.
- [21] J.Heinonen and P.Koskela, “Definitions of quasiconformality,” *Inventiones Math.* 120 (1995), 61–79.
- [22] P.Hajłasz and P.Koskela, “Sobolev meets Poincaré,” *C. R. Acad. Sci. Paris* 320 (1995), 1211–1215.
- [23] S.Buckley and P.Koskela, “Sobolev-Poincaré implies John,” *Math. Res. Letters* 2 (1995), 577–594.
- [24] S.Buckley, P.Koskela and G.Lu, “Subelliptic Poincaré inequalities: the case $p < 1$,” *Publ. Mat.* 39 (1995), 313–334.
- [25] P.Koskela, “A radial uniqueness theorem for Sobolev functions,” *Bull. London Math. Soc.* 27 (1995), 460–466.
- [26] D.A.Herron and P.Koskela, “Poincaré domains and quasiconformal mappings,” *Siberian Math. J.* 36 (1995), 1416–1434.
- [27] J.Heinonen and P.Koskela, “Weighted Sobolev and Poincaré inequalities and quasiregular mappings of polynomial type,” *Math. Scand.* 77 (1995), 251–271.
- [28] P.Koskela, “Normal solutions of elliptic equations,” *Math. Proc. Cambridge Phil. Soc.* 119 (1996), 363–371.
- [29] J.Heinonen and P.Koskela, “From local to global in quasiconformal structures,” *Proc. Nat. Acad. Sci. U.S.A.* 93 (1996), 554–556.
- [30] P.Koskela, J.Manfredi and E.Villamor, “Regularity theory and traces of A -harmonic functions,” *Trans. Amer. Math. Soc.* 348 (1996), 755–766.
- [31] P.Koskela and A.Stanoyevitch, “Poincaré inequalities and Steiner symmetrization,” *Illinois Math. J.* 40 (1996), 365–389.
- [32] S.Buckley and P.Koskela, “Criteria for imbeddings of Sobolev-Poincaré type,” *Internat. Math. Research Notices* 18 (1996), 881–902.
- [33] D.A.Herron and P.Koskela, “Quasihyperbolic boundary condition and capacity,” *Indiana Univ. Math. J.* 45 (1996), 333–359.

- [34] D.A.Herron and P.Koskela, “Continuity of Sobolev functions and Dirichlet finite harmonic measures,” *Potential Analysis* 6 (1997), 347–353.
- [35] P.Koskela and S.Rohde, “Hausdorff dimension and mean porosity,” *Math. Ann.* 309 (1997), 593–609.
- [36] S.Buckley and P.Koskela, “New Poincaré inequalities from old,” *Ann. Acad. Sci. Fenn. Math.* 23 (1998), 251–260.
- [37] P.Koskela and P.MacManus, “Quasiconformal mappings and Sobolev classes,” *Studia Math.* 131 (1998), 1–17.
- [38] M.Bonk, P.Koskela and S.Rohde, “Conformal metrics on the unit ball in Euclidean space,” *Proc. London Math. Soc.* 77 (1998), 635–664.
- [39] J.Heinonen and P.Koskela, “Quasiconformal maps in metric spaces with controlled geometry,” *Acta Math.* 181 (1998), 1–61.
- [40] P.Koskela, “Extensions and imbeddings,” *J. Funct. Anal.* 159 (1998), 1–15.
- [41] P.Hajłasz and P.Koskela, “Isoperimetric inequalities and imbedding theorems in irregular domains,” *J. London Math. Soc.* 58 (1998), 425–450.
- [42] S.Buckley, P.Koskela and D.Vukotic, “Fractional integration and differentiation and Bergman spaces,” *Math. Proc. Cambridge Phil. Soc.* 126 (1999), 369–385.
- [43] S.Buckley and P.Koskela “On the fusion problem for degenerate elliptic equations II,” *Comment. Math. Univ. Carolinae* 40 (1999), 1–6.
- [44] J.Heinonen and P.Koskela, “A note on Lipschitz functions, upper gradients and the Poincaré inequality,” *New Zealand J. Math.* 28 (1999), 37–42.
- [45] J.Kauhanen, P.Koskela and J.Maly, “On functions with derivatives in a Lorentz space,” *Manuscripta Math.* 100 (1999), 87–101.
- [46] P.Koskela, “Removable sets for Sobolev spaces,” *Ark. Mat.* 37 (1999), 291–304.
- [47] B.Franchi, P.Hajłasz and P.Koskela, “Definitions of Sobolev classes on metric spaces,” *Ann. Inst. Fourier* 49 (1999), 1903–1924.
- [48] Z.Balogh and P.Koskela, “Quasiconformality, quasisymmetry and removability in Loewner spaces,” *Duke Math. J.* 101 (2000), 554–577.
- [49] P.Hajłasz and P.Koskela, “Sobolev met Poincaré,” *Mem. Amer. Math. Soc.* 145 (2000), no. 688, 101 pp.
- [50] K.Astala, T.Iwaniec, P.Koskela and G.J.Martin, “Mappings of BMO-bounded distortion”, *Math. Ann.* 317 (2000), 703–726.
- [51] S.Kallunki and P.Koskela, “Exceptional sets for the definition of quasiconformality,” *Amer. J. Math.* 122 (2000), 735–743.
- [52] P.Koskela, N.Shanmugalingam and H.Tuominen, “Removable sets for the Poincaré inequality,” *Indiana Univ. Math. J.* 49 (2000), 333–352.
- [53] M.Bonk, J.Heinonen and P.Koskela, “Uniformizing Gromov hyperbolic spaces,” *Asterisque* 271 (2001), 99 pp.

- [54] J.Kauhanen, P.Koskela and J.Maly, “Mappings of finite distortion: Lusin’s condition N,” *Mich. Math. J.* 49 (2001), 169–181.
- [55] T.Iwaniec, P.Koskela and J.Onninen, “Mappings of finite distortion: Monotonicity and continuity,” *Invent. Math.* 144 (2001), no. 3, 507–531.
- [56] P.Koskela, J.Onninen and J.T.Tyson, “Quasihyperbolic boundary conditions and capacity: Hölder continuity of quasiconformal mappings,” *Comment. Math. Helv.* 76 (2001), 416–435.
- [57] J.Kauhanen, P.Koskela and J.Maly, “Mappings of finite distortion: Openness and discreteness,” *Arch. Ration. Mech. Anal.* 160 (2001), 135–151.
- [58] I.Holopainen and P.Koskela, “Volume growth and parabolicity,” *Proc. Amer. Math. Soc.* 129 (2001), no. 11, 3425–3435.
- [59] B.Hanson, P.Koskela and M.Troyanov “Boundary behavior of quasi-regular maps and the isodiametric profile,” *Conform. Geom. Dyn.* 5 (2001), 100–139.
- [60] M.Gonzalez and P.Koskela, “Radial growth of solutions to Poisson equation,” *Complex Variables* 46 (2001), 59–72.
- [61] J.Heinonen, P.Koskela, N.Shanmugalingam and J.Tyson, “Sobolev classes of Banach space valued functions and applications to quasisymmetric mappings,” *J. Analyse Math.* 85 (2001), 87–139.
- [62] P.Koskela, J.Onninen and J.T.Tyson, “Quasihyperbolic boundary conditions and Poincaré domains,” *Math. Ann.* 323 (2002), 811–830.
- [63] T.Iwaniec, P.Koskela and J.Onninen, “Mappings of finite distortion: Compact families,” *Ann. Acad. Sci. Fenn. Math.* 27 (2002), 319–417.
- [64] M.Bonk and P.Koskela, “Conformal metrics and size of the boundary,” *Amer. J. Math.* 124 (2002), 1247–1287.
- [65] T.Iwaniec, P.Koskela and G.Martin, “Mappings of BMO-distortion and Beltrami type operators,” *J. Anal. Math.* 88 (2002), 337–381.
- [66] P.Koskela and X.Zhong, “Minimal assumptions for the integrability of the Jacobian,” *Ricerche Mat.* LI (2002), 297–311.
- [67] P.Koskela and X.Zhong, “Hardy’s inequality and the boundary size,” *Proc. Amer. Math. Soc.* 131 (2003), 1151–1158.
- [68] M.J.Gonzalez, P.Koskela, J.Llorente and A.Nicolau, “Distributional inequalities for non-harmonic functions,” *Indiana Univ. Math. J.* 52 (2003), 191–226.
- [69] P.Koskela and J.Onninen, “Mappings of finite distortion: Sharp modulus of continuity,” *Trans. Amer. Math. Soc.* 355 (2003), 1905–1920.
- [70] T.Iwaniec, P.Koskela, G.Martin and C.Sbordone, “Mappings of finite distortion: $L^n \log L^\alpha$ -regularity,” *J. London Math. Soc.* 67 (2003), 123–136.
- [71] P.Koskela and J.Onninen, “Sharp embeddings via truncation,” *J. Math. Anal. Appl.* 278 (2003), 324–334.

- [72] S.Kallunki and P.Koskela, “Metric definition of μ -homeomorphisms,” *Mich. Math. J.* 51 (2003), 141–152.
- [73] P.Koskela and J.Malý, “Mappings of finite distortion: The zero set of the Jacobian,” *J. Eur. Math. Soc. (JEMS)* 5 (2003), 95–105.
- [74] P.Koskela, N.Shanmugalingam and K.Rajala, “Lipschitz continuity of Cheeger-harmonic functions in metric measure spaces,” *J. Funct. Anal.* 202 (2003), 147–173.
- [75] P.Koskela and T.Tossavainen, “Pathwise connectivity of a conformal boundary,” *Bull. London Math. Soc.* 35 (2003), 645–650.
- [76] P.Koskela and K.Rajala, “Mappings of finite distortion: Removable singularities,” *Israel J. Math.* 136 (2003), 269–283.
- [77] J.Kauhanen, P.Koskela, J.Malý, J.Onninen and X.Zhong, “Mappings of finite distortion: Sharp Orlicz-conditions,” *Rev. Mat. Iberoamericana* 19 (2003), 857–872.
- [78] D.A.Herron and P.Koskela, “Mappings of finite distortion: gauge dimension of generalized quasi-circles,” *Illinois J. Math.* 47 (2003), 1243–1259.
- [79] P.Hajłasz and P.Koskela, “Formation of cracks under elastic deformations,” *Calc. Var.* 19 (2004), 221–227.
- [80] P.Koskela, N.Shanmugalingam and J.T.Tyson, “Dirichlet forms, Poincaré inequalities and the Sobolev-spaces of Korevaar-Schoen,” *Pot. Anal.* 21 (2004), 241–262.
- [81] T.Coulhon and P.Koskela, “Geometric interpretations of L^p -Poincaré inequalities on graphs with polynomial volume growth,” *Milan J. Math.* 72 (2004), 209–248.
- [82] S.M.Buckley and P.Koskela, “Logarithmic Hardy inequalities,” *Illinois J. Math.* 48 (2004), 787–802..
- [83] D.Faraco, P.Koskela and X.Zhong, “Mappings of finite distortion: the degree of regularity,” *Adv. Math.* 190 (2005), 300–318.
- [84] P.Koskela and T. Nieminen, “Quasiconformal removability and the quasi-hyperbolic metric,” *Indiana Univ. Math. J.* 54 (2005), 143–152.
- [85] S. Hencl, P.Koskela and J.Onninen, “A note on extremal mappings of finite distortion,” *Math. Res. Lett.* 12 (2005), 231–238.
- [86] S. Hencl and P.Koskela, “Mappings of finite distortion: openness and discreteness for quasilight mappings,” *Ann. Inst. H. Poincaré Anal. Non Linéaire* 22 (2005), 331–342.
- [87] A. Gogatishvili and P.Koskela, “A non-doubling Trudinger inequality,” *Studia Math.* 170 (2005), 113–119.
- [88] P.Koskela and S.Rogovin, “Linear dilatation and absolute continuity,” *Ann. Acad. Sci. Fenn. Math.* 30 (2005), 385–392.
- [89] S. Hencl and P.Koskela, “Quasihyperbolic metric and capacity: uniform continuity of quasiconformal mappings,” *J. Analyse Math.* 96 (2005), 19–35.

- [90] S.M.Buckley and P.Koskela, “Ends of metric measure spaces and Sobolev inequalities,” *Math. Z.* 252 (2005), 275–285.
- [91] S. Hencl and P.Koskela, “The regularity of the inverse of a planar Sobolev homeomorphism,” *Arch. Ration. Mech. Anal.* 180 (2006), 75–95.
- [92] P.Koskela and J.Onninen, “Mappings of finite distortion: capacity and modulus inequalities,” *J. Reine Angew. Math.* 599 (2006), 1–26.
- [93] S.Hencl, P.Koskela and J.Maly, “Regularity of the inverse of a Sobolev mapping in space,” *Proc. Roy. Soc. Edinburgh Sect A.* 136 (2006), 1267–1285.
- [94] P.Koskela and J. Takkinen, “Mappings of finite distortion: formation of cusps,” *Publ. Mat.* 51 (2007), 223–242.
- [95] S. Hencl, P.Koskela and X.Zhong, “Mappings of finite distortion: reverse inequalities for the Jacobian,” *J. Geom. Anal.* 17 (2007), 253–274.
- [96] P.Koskela and J. Lehrbäck, “Growth of the quasihyperbolic metric and compact embedding of Sobolev spaces,” *Mich. Math. J.* 55 (2007), 183–193.
- [97] T.Heikkinen, P.Koskela and H.Tuominen, “Sobolev-type spaces from generalized Poincaré inequalities,” *Studia Math.* 181 (2007), 1–16.
- [98] Z.Balogh, P.Koskela and S.Rogovin, “Absolute continuity of quasiconformal mappings on curves,” *Geom. Funct. Anal.* 17 (2007), 645–664.
- [99] S. Hencl, P.Koskela and J.Onninen, “Homeomorphisms of bounded variation,” *Arch. Ration. Mech. Anal.* 186 (2007), 351–360.
- [100] S.Hencl and P.Koskela, “Mappings of finite distortion: composition operator,” *Ann. Acad. Sci. Fenn. Math.* 33 (2008), 65–80.
- [101] P.Hajłasz, P.Koskela and H.Tuominen, “Sobolev embeddings, extensions and measure density condition,” *J. Funct. Anal.* 254 (2008), 1217–1234.
- [102] P.Koskela and T.Nieminen, “Mappings of finite distortion: discrete length of radial images,” *Math. Proc. Cambridge Philos. Soc.* 144 (2008), 197–205.
- [103] P.Koskela and T.Nieminen, “Uniform continuity of quasiconformal mappings and conformal deformations,” *Conform. Geom. Dyn.* 12 (2008), 1–9.
- [104] P.Koskela and K.Wildrick, “Exceptional sets for quasiconformal mappings in general metric spaces,” and “Errata to:...,” *Int. Math. Res. Not. IMRN* 9 (2008).
- [105] P.Koskela and E.Saksman, “Pointwise characterization for Hardy-Sobolev functions,” *Math. Research Letters* 15 (2008), 727–744.

Papers accepted for publication.

- [106] K.Astala and P.Koskela, “ H^p -theory for quasiconformal mappings,” *Pure. Appl. Math. Quat.* (to appear).
- [107] P.Hajłasz, P.Koskela and H.Tuominen, “Measure density and extendability of Sobolev functions,” *Rev. Mat. Iberoamericana* (to appear).
- [108] P.Koskela and J.Onninen, “Mappings of finite distortion: decay of the Jacobian in the plane,” *Adv. Calc. Var.* (to appear).

Papers published (refereed conference proceedings).

- [109] P.Koskela, “Natural weights for the Poincaré inequality,” Proc. of the Fourth Finnish-Polish Summer School in Complex Analysis, Ber. Univ. Jyväskylä Math. Inst. 55 (1993), 55–63.
- [110] S.Buckley, P.Koskela and G.Lu, “Boman equals John,” XVIth Rolf Nevanlinna Colloquium, Eds.: Laine/Martio, Proc. of the Intern. Conf. held in Joensuu, Finland, 1995, Walter de Gruyter & Co., Berlin - New York (1996), 91–99.
- [111] P.Koskela, “Old and new on the quasihyperbolic metric,” in Quasiconformal Mappings and Analysis, A Collection of Papers Honoring F. W. Gehring, Edited by Duren, Heinonen, Osgood and Palka, Springer-Verlag, 1998, 205–219.
- [112] P.Koskela, “Behavior of quasiconformal mappings at infinity,” in Papers on Analysis: A volume dedicated to Olli Martio on the occasion of his 60th birthday, Edited by Heinonen, Kilpeläinen and Koskela, Report. Univ. Jyväskylä 83 (2001).
- [113] P.Koskela, J.Onninen and K.Rajala, “Mappings of finite distortion: Injectivity radius of a local homeomorphism,” in Modern Trends in Geometric Function Theory, Edited by David Herron, Report. Univ. Jyväskylä (2003).

Papers published (invited conference papers).

- [114] P.Koskela, “Sobolev spaces and quasiconformal mappings on metric spaces,” in Proceedings of the third European Congress of Mathematics, Barcelona 2000, Progress in Mathematics, Vol. 201 (2001), Birkhäuser Verlag, pp. 457–367.

Papers published (various lectures).

- [115] P.Koskela, “Upper gradients and Poincaré inequalities,” in Lecture Notes on Analysis on Metric Spaces, Edited by Luigi Ambrosio and Francesco Serra Cassano, Scuola Normale Superiore, Pisa (2000), pp. 55–69.
- [116] P.Koskela, “Metric Sobolev spaces,” in Nonlinear Analysis, Function Spaces and Applications Vol. 7, Mathematical Institute of the Academy of Sciences of the Czech Republic, Praha (2003), pp. 133–147.